The international journal & abstracting service for Vacuum Sciences & Technology

VACUUM

SURFACE ENGINEERING, SURFACE INSTRUMENTATION & VACUUM TECHNOLOGY

Volume 66, 2002

PERGAMON

PERGAMON

Vacuum 66 (2002) III–VI

VACUUM
SURFACE ENGINEERING, SURFACE INSTRUMENTATION & VACUUM TECHNOLOGY

www.elsevier.com/locate/vacuum

Contents

Volume 66 Number 1

AUTHORS		ARTICLES
E Dogheche, D Remiens and G Velu	1	Electrical and optical characterizations by prism-coupling method of PZT deposited in-situ by sputtering
D Depla, A Colpaert, K Eufinger, A Segers, J Haemers and R De Gryse	9	Target voltage behaviour during DC sputtering of silicon in an argon/nitrogen mixture
Y M Chen, G P Yu and J H Huang	19	Characterizing the effects of multiprocess parameters on the preferred orientation of TiN coating using a combined index
A H Ammar, A M Farid and M A M Seyam	27	Heat treatment effect on the structural and optical properties of $AgInSe_2$ thin films
R Knizikevičius, A Galdikas and A Grigonis	39	Real dimensional simulation of anisotropic etching of silicon in CF_4+O_2 plasma
H Savaloni and S B Najmi	49	Characteristics of Cu and Zn films deposited on glass and stainless steel substrates at different substrate temperatures and angle of incidence
J F Pierson	59	Structure and properties of copper nitride films formed by reactive magnetron sputtering
S J Zhang, G H Chen, J X Deng, D X Zhang, W Ren, B Wang and H Yan	65	cBN Films grown by hot filament assisted microwave electron cyclotron resonance CVD
F Y Meng, W K Wong, N G Shang, Q Li and I Bello	71	Multi-tip cones induced by ion-bombardment
I G Levchenko and M Keidar	77	Surface structure formation in ion deposition
A Pregelj, M Drab, K Požun and K Ludvik	87	Precision dimensions control by measuring the gas flow through a gap between sample and test die
	91	BOOK REVIEW
	93	ERRATUM
	I	VACUUM DIARY

Volume 66 Number 2

V E Yurasova and J S Colligon	95	XV International Conference on ion–surface interactions
M W Thompson	99	Atomic collision cascades in solids

PII: S0042-207X(02)00438-4

M A Vasylyev, I N Makeyeva, A G Blashchuk and S D Gorodetsky	115	The influence of ion bombardment on the composition and atomic structure of the $CoNi_3$(10 0) surface layers
Yu N Devyatko and S V Rogozhkin	123	Theoretical aspects of sputtering of magnetic materials near the Curie point
Yu N Cheblukov, A Yu Didyk, A Halil, V K Semina, A E Stepanov, A L Suvorov and N A Vasiliev	133	Sputtering of metals by heavy ions in the inelastic energy loss range
H Winter, C Auth and T Hecht	137	Surface channeling of atoms in front of an ionic crystal: an ideal system for studies on resonant coherent excitation of weakly bound atoms
A M Borisov, E S Mashkova and E S Parilis	145	The sweeping-out-electrons effect in electron emission under molecular ion bombardment
V G Drobnich, S Yu Medvedev and I S Sharodi	149	Excitation process simulation for atoms leaving a metal surface
S P Chenakin	157	Sputtering of organic molecular monolayers self-assembled onto Ag(111) and Au(111) surfaces
C Xirouchaki and R E Palmer	167	Pinning and implantation of size-selected metal clusters: a topical review
I Konyashin, V Babaev, M Guseva, V Khvostov, N Savtchenko and M Fatow	175	Carbon modification with the fcc crystal structure
A Richter, S A Mahmoud and R Ries	179	Changes of biofilm structures on polymer substrates caused by laser beams

Volume 66 Numbers 3–4

S Hamaguchi and H Ohta	189	Surface molecular dynamics of Si/SiO_2 reactive ion etching
C P Lungu and K Iwasaki	197	In situ monitoring of plasma parameters in the afterglow region of ECR sputtering system for tribological coatings
H Homyara, S Ahmad, S Ikezawa, K Baba, T Yoshioka, Y Ninomiya, K Nakamura, T Famakinwa, H Oda, K Yoshimura, H Taoda, S Fujii and T Hara	203	Large area electron-beam-excited plasma of meter size for industrial applications
H Muta, N Itagaki and Y Kawai	209	Numerical investigation of the production mechanism of a low-temperature electron cyclotron resonance plasma
Y Yoshida, Y Okazaki and K Sakiyama	215	Numerical simulation of electron orbits in a magnetized plasma excited by a surface wave
K Nakashima and Y Kumahara	221	Effect of tin oxide dispersion on nodule formation in ITO sputtering
S Inoue, F Okada and K Koterazawa	227	CrN films deposited by rf reactive sputtering using a plasma emission monitoring control
T Kikuma, K Tominaga, K Furutani, K Kusaka, T Hanabusa and T Mukai	233	GaN films deposited by planar magnetron sputtering
K-Y Lee, K Fujimoto, S Ohkura, S Honda, M Katayama, T Hirao and K Oura	239	Study of electron field emission and structural properties of nanostructured carbon thin films deposited by hot-filament-assisted reactive sputtering using methane gas
H Yokomichi, T Funakawa and A Masuda	245	Preparation of boron–carbon–nitrogen thin films by magnetron sputtering
S Iwatsubo and M Naoe	251	Characteristics of Fe–N films deposited by a reactive ion beam sputtering using adsorptive and ionized nitrogen
S Inoue, T Saeki, H Uchida, K Koterazawa and M Iwasa	257	Effects of ion flux on the properties of dc magnetron-sputtered stainless steel films

E Honbo, M Miyata, T Ueno, Y Kato and S Ishii	263	Preparation of TiO_2 thin films by sputtering applying electron cyclotron resonance plasma produced in arched magnetic mirrors
A Yamamoto, Y Abe, M Kawamura and K Sasaki	269	Effects of oxygen gettering and target mode change in the formation process of reactively RF sputtered WO_x thin films
A Yonesu, H Takemoto, M Hirata and Y Yamashiro	275	Development of a cylindrical DC magnetron sputtering apparatus assisted by microwave plasma
K Tominaga, T Kikuma, K Kusaka and T Hanabusa	279	Energetic oxygen ions in ZrO_2 deposition by reactive sputtering of Zr
L I, Y-J Lai, W-T Juan, M-H Chang and H-Y Chue	285	Fine particles in dusty plasmas
A Masuda, A Izumi, H Umemoto and H Matsumura	293	What is the difference between catalytic CVD and plasma-enhanced CVD? Gas-phase kinetics and film properties
Y Kuo and H H Lee	299	Plasma-enhanced chemical vapor deposition of silicon nitride below 250 C
T Miyamae, Y Yamada, H Uyama and H Nozoye	305	Sum-frequency vibrational spectroscopy of oxygen-ion and oxygen-radical treated poly(ethylene terephthalate) and oxide/poly(ethylene terephthalate) interface
T Hino, S Miho, Y Yamauchi, Y Hirohata and M Nishikawa	311	Preparation of silicon oxide with bubble layer by helium plasma irradiation followed by oxidation
A Kumagai, K Ishibashi, G Xu, M Tanaka, H Nogami and O Okada	317	High-quality SiO_2 film deposition using active reaction by oxygen radical
N Itagaki, S Kawakami, N Ishii and Y Kawai	323	Production of low-electron-temperature electron cyclotron resonance plasma with large area using 915 MHz microwave
M Koga, T Yoshizawa, Y Ueda, A Yonesu and Y Kawai	329	Ion temperature and fluctuation in a large-diameter electron-cyclotron-resonance plasma
H Shinno, K Ishioka and M Kitajima	335	Deposition of carbon films by plasma-based ion implantation using glow discharge plasma ignited by high voltage pulses applied to substrates
T Ikuno, J-T Ryu, T Oyama, S Ohkura, Y-G Baek, S Honda, M Katayama, T Hirao and K Oura	341	Characterization of low temperature growth carbon nanofibers synthesized by using plasma enhanced chemical vapor deposition
Y Yamada, H Uyama, T Murata and H Nozoye	347	Low temperature deposition of TiO_2 films with high refractive indices by oxygen-radical beam-assisted evaporation combined with ion beam
K Teshima, Y Inoue, H Sugimura and O Takai	353	Gas barrier properties of silicon oxide films prepared by plasmaenhanced CVD using tetramethoxysilane
K Shimatani, T Okamoto and Y Okamoto	359	Production of a large-area argon microwave plasma by a ring slot antenna
N Kikuchi, E Kusano, E Kishio and A Kinbara	365	Electrical and mechanical properties of SnO_2:Nb films for touch screens
P K Song, D Sato, M Kon and Y Shigesato	373	Crystallinity and stoichiometry of InN_x films deposited by reactive dc magnetron sputtering
J-D Kim, H Sugimura and O Takai	379	Water-repellency of a-C:H films deposited by rf plasma-enhanced CVD
C P Lungu and K Iwasaki	385	Influence of surface morphology on the tribological properties of silver–graphite overlays
Y Togashi, Y Hirohata and T Hino	391	Characterization of CN_x films prepared by reactive magnetron sputtering
O Nakagawara, T Shimuta, T Makino, S Arai, H Tabata and T Kawai	397	Dependence of dielectric and ferroelectric behaviors on growth orientation in epitaxial $BaTiO_3/SrTiO_3$ superlattices

K Sasaki, T Hasu, K Sasaki and T Hata	403	Limited reaction growth of YSZ (ZrO_2:Y_2O_3) thin films for gate insulator
J Kondo, A Tabata, T Kawamura and T Mizutani	409	Dependence on substrate temperature of the film structure of μc-Si:H prepared by RF magnetron sputtering
Y Yamauchi, T Sakurai, Y Hirohata, T Hino and M Nishikawa	415	Blue shift of photoluminescence spectrum of porous silicon by helium ion irradiation
H Hosono, H Ohta, M Orita, K Ueda and M Hirano	419	Frontier of transparent conductive oxide thin films
S Horita, S Sasaki, O Kitagawa and S Horii	427	Ferroelectric properties of epitaxial $Bi_4Ti_3O_{12}$ films deposited on epitaxial (1 0 0) Ir and (1 0 0) Pt films on Si by sputtering
T Matsue, T Hanabusa and Y Ikeuchi	435	The structure of TiN films deposited by arc ion plating
K Kusaka, D Taniguchi, T Hanabusa and K Tominaga	441	Effect of sputtering gas pressure and nitrogen concentration on crystal orientation and residual stress in sputtered AlN films
H Qiu, F Wang, P Wu, L Pan and Y Tian	447	Structural and electrical properties of Cu films deposited on glass by DC magnetron sputtering
I Umezu, K Kohno, K Aoki, Y Kohama, A Sugimura and M Inada	453	Effects of argon and hydrogen plasmas on the surface of silicon
K Sasaki, Y Takahashi, T Ikeda and T Hata	457	Fabrication of Silicon/Germanium superlattice by ion-beam sputtering
M Takeuchi, H Yamada, Y Yoshino, T Makino and S Arai	463	Effective electromechanical coupling coefficient (kt^2) for fundamental mode of thickness extensional mode thin film bulk acoustic wave resonator fabricated by ZnO thin film
Y Yoshino, M Takeuchi, K Inoue, T Makino, S Arai and T Hata	467	Control of temperature coefficient of frequency in zinc oxide thin film bulk acoustic wave resonators at various frequency ranges
G Suchaneck, W-M Lin, R Koehler, T Sandner, G Gerlach, R Krawietz, W Pompe, A Deineka and L Jastrabik	473	Characterization of RF-sputtered self-polarized PZT thin films for IR sensor arrays
N Matsui, K Mashimo, A Egami, A Konishi, O Okada and T Tsukada	479	Etching characteristics of magnetic materials (Co, Fe, Ni) using CO/NH_3 gas plasma for hardening mask etching
H Inaba, S Fujimaki, K Furusawa and S Todoroki	487	ECR-plasma parameters and properties of thin DLC films
S Tamura, M Yasumoto, T Mihara, N Kamijo, Y Suzuki, M Awaji, A Takeuchi, H Takano and K Handa	495	Multilayer Fresnel zone plate for high-energy X-ray by DC sputtering deposition
T Suzuki, Y Abe, M Kawamura, K Sasaki, T Shouzu and K Kawamata	501	Optical and electrical properties of pure Ag and Ag-based alloy thin films prepared by RF magnetron sputtering
K Tominaga, T Takao, A Fukushima, T Moriga and I Nakabayashi	505	Amorphous ZnO–In_2O_3 transparent conductive films by simultaneous sputtering method of ZnO and In_2O_3 targets
K Tominaga, T Takao, A Fukushima, T Moriga and I Nakabayashi	511	Film properties of ZnO:Al films deposited by co-sputtering of ZnO:Al and contaminated Zn targets with Co, Mn and Cr
N Kiwa, Y Gotoh, H Tsuji and J Ishikawa	517	Relationship between composition and work function of gold–samarium alloy thin films
A Nagata and H Okayama	523	Characterization of solid oxide fuel cell device having a three-layer film structure grown by RF magnetron sputtering
	III	VOLUME CONTENTS
	VII	AUTHOR INDEX